

TRANSFER PRINTING SYSTEMS

Türkiye

H a z a R

KEÇE MAKİNA
SAN.VE TİC. LTD. ŞTİ





PIECE PRINTING MACHINE




PARÇA BASKI MAKİNESİ

ISITMA SİSTEMİ: KIZGIN YAĞ
MAKİNA KONTROL PANELİ 7 İNÇ LCD PLC SİSTEMİ
KEÇE GERME PNÖMATİK
KEÇE YÖNLENDİRME SİSTEMİ OTOMATİK
KEÇE GERME VE GEVŞETME OTOMATİK
MOTORLU MANUEL TORNALAMA SİSTEMİ
EMNİYET ANAHTARI ACİL DURDURMA
MOTOR HIZ KONTROL SİSTEMİ AC İNVERTÖR
OTOMATİK SOĞUTMA FANI
ARIZA DURUMUNDA PLC EKРАН UYARI SİSTEMİ
KUMAŞ SARMA SİSTEMİ
3 M UZUNLUĞUNDA MDF MASA

PIECE PRINTING MACHINE

HEATING SYSTEM: HOT OIL
MACHINE CONTROL PANEL 7 INCH LCD PLC SYSTEM
SEAL TENSION PNEUMATIC
SEAL GUIDANCE SYSTEM AUTOMATIC
FELT TENSION AND LOOSEN AUTOMATIC
MOTORIZED MANUAL TURNING SYSTEM
SAFETY SWITCH EMERGENCY STOP
ENGINE SPEED CONTROL SYSTEM AC INVERTER
AUTOMATIC COOLING FAN
PLC DISPLAY WARNING SYSTEM IN CASE OF FAILURE
FABRIC WRAPPING SYSTEM
3 M LENGTH MDF TABLE

MODEL NO	SİLİNDİR ÇAPI (CYLINDER DIAMETER)	SİLİNDİR BOYU (CYLINDER SIZE) MIN	SİLİNDİR BOYU (CYLINDER SIZE) MAX	SICAKLIK (TEMPERATURE)
HM 240-P	240 mm	1200 mm	2200 mm	230 C
HM 405-P	405 mm	1200 mm	2600 mm	230 C
HM 610-P	610 mm	1200 mm	4400 mm	230 C



FILM LAMINATING MACHINE



FİLM LAMİNASYON MAKİNESİ

FILM LAMINATING MACHINE

SİLİNDİR YÜZEYİNDE EŞİT ISI DAĞITIM SİSTEMİ

İÇ VE DIŞ SICAKLIĞI AYRI AYRI İZLEME SİSTEMİ

MAKİNEİNİN DÖRT YANINDA ACİL STOP

MAKİNEİNİN ÖNÜNDE BULUNAN HALAT EMNİYET SWİCHİ

7 İNÇ LCD PLC KONTROL SİSTEMİ

ARIZA DURUMUNDA PLC EKCRANINDA UYARI SİSTEMİ

MAKİNE ÖN KUMAŞ VERME PLAKASI

KUMAŞMA VERME KOLLARI

MAKİNE ARKASI UZAK KUMAŞ SARMA

MAKİNA ÖNÜ,İÇERİDE FİLM VERME YERLERİ

EQUAL HEAT DISTRIBUTION SYSTEM ON THE CYLINDER SURFACE

INTERNAL AND EXTERNAL

TEMPERATURE MONITORING SYSTEM SEPARATELY

EMERGENCY STOP ON ALL SIDES OF THE MACHINE

ROPE SAFETY SWITCH LOCATED IN THE FRONT OF THE MACHINE

7 INCH LCD PLC CONTROL SYSTEM

WARNING SYSTEM ON PLC SCREEN IN CASE OF FAILURE


MACHINE FRONT FABRIC GIVEN PLATE

FABRIC FEEDING ARMS

MACHINE BACK REMOTE FABRIC WRAPPING

IN FRONT OF THE MACHINE, FILM PRODUCTION AREAS INSIDE

MODEL NO	SİLİNDİR ÇAPI (CYLINDER DIAMETER)	SİLİNDİR BOYU (CYLINDER SIZE) MIN	SİLİNDİR BOYU (CYLINDER SIZE) MAX	SICAKLIK (TEMPERATURE)
HM 240-F	240 mm	1200 mm	2200 mm	230 C
HM 405-F	405 mm	1200 mm	2600 mm	230 C
HM 610-F	610 mm	1200 mm	4400 mm	230 C



QUANTITY PRINTING MACHINE



METRAJ BASKI MAKİNESİ

QUANTITY PRINTING MACHINE

ISITMA SİSTEMİ: KIZGIN YAĞ

MAKİNA KONTROL PANELİ : 7 İNÇ LCD PLC SİSTEMİ

KEÇE GERME : PNÖMATİK

KEÇE YÖNLENDİRME SİSTEMİ : OTOMATİK

KEÇE GERME VE GEVŞETME : OTOMATİK

MOTOR HIZ KONTROL SİSTEMİ : AC İNVERTÖR

SOĞUTMA FANI : OTOMATİK

MOTORLU MANUEL TORNALAMA SİSTEMİ

EMNİYET ANAHTARI ACİL DURDURMA

HEATING SYSTEM: HOT OIL

MACHINE CONTROL PANEL 7 INCH LCD PLC SYSTEM

FELT TENSIONING PNEUMATIC

FELT ORIENTATION SYSTEM AUTOMATIC

FELT STRETCHING AND LOOSENING AUTOMATIC


MOTOR MANUAL TURNING SYSTEM

SAFETY SWITCH EMERGENCY STOP


MOTOR SPEED CONTROL SYSTEM AC INVERTER

COOLING STOP AUTOMATICALLY

MODEL NO	SİLİNDİR ÇAPI (CYLINDER DIAMETER)	SİLİNDİR BOYU (CYLINDER SIZE) MIN	SİLİNDİR BOYU (CYLINDER SIZE) MAX	SICAKLIK (TEMPERATURE)
HM 240-M	240 mm	1200 mm	2200 mm	230 C
HM 405-M	405 mm	1200 mm	2600 mm	230 C
HM 610-M	610 mm	1200 mm	4400 mm	230 C



FOIL PRINTING MACHINE





VARAK BASKI MAKİNESİ

FOIL PRINTING MACHINE

SİLİNDİR YÜZEYİNDE EŞİT ISI DAĞITIM SİSTEMİ
İÇ VE DIŞ SICAKLIĞI AYRI AYRI İZLEME SİSTEMİ
PLC EKSPANINDA KONTROL EDİLEBİLECEK
SICAKLIK DİRENCİ AÇMA - KAPAMA
VE OTOMATİK DURDURMA AYARLARI
MAKİNE DESENİ/AYNA SİLİNDİRİ MANUEL HIZ AYARI
YANDAN KONTROLLÜ KUMAŞ SARMA SİSTEMİ
MAKİNEİN DÖRT YANINDA ACİL STOP
MAKİNEİN ÖNÜNDE BULUNAN HALAT EMNİYET SWİCHİ
7 İNÇ LCD PLC KONTROL SİSTEMİ
ARIZA DURUMUNDA PLC EKSPANINDA
UYARI SİSTEMİ

EQUAL HEAT DISTRIBUTION SYSTEM ON THE CYLINDER SURFACE
INTERNAL AND EXTERNAL
TEMPERATURE MONITORING SYSTEM SEPARATELY
TEMPERATURE RESISTANCE
ON-OFF AND AUTOMATIC STOP SETTINGS THAT
CAN BE CONTROLLED FROM THE PLC SCREEN
MACHINE PATTERN/CHUCK ROLLER MANUAL SPEED ADJUSTMENT
SIDE CONTROLLED FABRIC WRAPPING SYSTEM
EMERGENCY STOP ON ALL SIDES OF THE MACHINE
ROPE SAFETY SWITCH LOCATED IN THE FRONT OF THE MACHINE
7 INCH LCD PLC CONTROL SYSTEM
WARNING SYSTEM ON PLC SCREEN IN CASE OF FAILURE


MODEL NO	SİLİNDİR ÇAPI (CYLINDER DIAMETER)	SİLİNDİR BOYU (CYLINDER SIZE) MIN	SİLİNDİR BOYU (CYLINDER SIZE) MAX	SICAKLIK (TEMPERATURE)
HM 215-V	215 mm	500 mm	5000 mm	230 C
HM 245-V	245 mm	500 mm	5000 mm	230 C
HM 270-V	270 mm	500 mm	5000 mm	230 C
HM 350-V	350 mm	500 mm	5000 mm	230 C



- 1 BASKIYA HAZIR KUMAŞ
- 2 BASKISI TAMAMLANMIŞ KUMAŞ
- 3 BASKIYA HAZIR VARAK
- 4 BASKISI TAMAMLANMIŞ VARAK

- 1 READY TO PRINTING FABRIC
- 2 PRINTED FABRIC
- 3 PRINT READY FOIL
- 4 FINISHED PRINTING FOIL

EMBOSSING PRINTING MACHINE





GOFRAJ BASKI MAKİNESİ

EMBOSSING PRINTING MACHINE

SİLİNDİR YÜZEYİNDE EŞİT ISI DAĞITIM SİSTEMİ
İÇ VE DIŞ SICAKLIĞI AYRI AYRI İZLEME SİSTEMİ
PLC EKSPANINDAN KONTROL EDİLEBİLECEK SICAKLIK
DİRENCİ AÇMA- KAPAMA
VE OTOMATİK DURDURMA AYARLARI
MAKİNE DESENİ/AYNA SİLİNDİRİ MANUEL HIZ AYARI
YANDAN KONTROLLÜ KUMAŞ SARMA SİSTEMİ
MAKİNEİNİN DÖRT YANINDA ACİL STOP
MAKİNEİNİN ÖNÜNDE BULUNAN HALAT EMNİYET SWİCHİ
7 İNÇ LCD PLC KONTROL SİSTEMİ
ARIZA DURUMUNDA PLC EKSPANINDA UYARI SİSTEMİ

EQUAL HEAT DISTRIBUTION SYSTEM ON THE CYLINDER SURFACE
INTERNAL AND EXTERNAL
TEMPERATURE MONITORING SYSTEM SEPARATELY
TEMPERATURE RESISTANCE
ON-OFF AND AUTOMATIC STOP SETTINGS THAT
CAN BE CONTROLLED FROM THE PLC SCREEN
MACHINE PATTERN/CHUCK ROLLER MANUAL SPEED ADJUSTMENT
SIDE CONTROLLED FABRIC WRAPPING SYSTEM
EMERGENCY STOP ON ALL SIDES OF THE MACHINE
ROPE SAFETY SWITCH LOCATED IN THE FRONT OF THE MACHINE
7 INCH LCD PLC CONTROL SYSTEM
WARNING SYSTEM ON PLC SCREEN IN CASE OF FAILURE

MODEL NO	SİLİNDİR ÇAPI (CYLINDER DIAMETER)	SİLİNDİR BOYU (CYLINDER SIZE) MIN	SİLİNDİR BOYU (CYLINDER SIZE) MAX	SICAKLIK (TEMPERATURE)
HM 215-G	215 mm	500 mm	5000 mm	250 C
HM 270-G	270 mm	500 mm	5000 mm	250 C
HM 350-G	350 mm	500 mm	5000 mm	250 C



NARROW WOVEN (RIBBON) PRINTING MACHINE




DAR DOKUMA (KURDELE)

NARROW WOVEN (RIBBON) PRINTING MACHINE

SİLİNDİR YÜZEYİNDE EŞİT ISI DAĞITIM SİSTEMİ
İÇ VE DIŞ SICAKLIĞI AYRI AYRI İZLEME SİSTEMİ
PLC EKSPANINDAN KONTROL EDİLEBİLECEK
SICAKLIK DİRENCİ AÇMA-KAPAMA
VE OTOMATİK DURDURMA AYARLARI
MAKİNE ÖNÜ KURDELE/ BAĞCIK VERME KOLLARI
MAKİNE ARKASI ÇEKİCİ SİLİNDİR
MAKİNEİN DÖRT YANINDA ACİL STOP
MAKİNEİN ÖNÜNDE BULUNAN HALAT EMNİYET SWİCHİ
7 İNÇ LCD PLC KONTROL SİSTEMİ
ARIZA DURUMUNDA PLC EKSPANINDA UYARI SİSTEMİ

EQUAL HEAT DISTRIBUTION SYSTEM ON THE CYLINDER SURFACE
INTERNAL AND EXTERNAL TEMPERATURE MONITORING SYSTEM
SEPARATELY
TEMPERATURE RESISTANCE ON-OFF AND AUTOMATIC STOP
SETTINGS THAT CAN BE CONTROLLED FROM THE PLC SCREEN
MACHINE FRONT RIBBON/LATING SLEEVES
BEHIND THE MACHINE TOWER CYLINDER
EMERGENCY STOP ON ALL SIDES OF THE MACHINE
ROPE SAFETY SWITCH LOCATED
IN THE FRONT OF THE MACHINE
7 INCH LCD PLC CONTROL SYSTEM
WARNING SYSTEM ON PLC SCREEN IN CASE OF FAILURE

MODEL NO	SİLİNDİR ÇAPI (CYLINDER DIAMETER)	SİLİNDİR BOYU (CYLINDER SIZE) MIN	SİLİNDİR BOYU (CYLINDER SIZE) MAX	SICAKLIK (TEMPERATURE)
HM 320-N	320 mm	500 mm	1000 mm	230 C
HM 405-N	405 mm	500 mm	1000 mm	230 C
HM 610-N	610 mm	500 mm	1000 mm	230 C




GLUE LAMINATING MACHINE



TUTKALLI LAMİNASYON MAKİNESİ

GLUE LAMINATING MACHINE

MODEL NO	SİLİNDİR ÇAPI (CYLINDER DIAMETER)	SİLİNDİR BOYU (CYLINDER SIZE) MIN	SİLİNDİR BOYU (CYLINDER SIZE) MAX	SICAKLIK (TEMPERATURE)
HM 405-T	405 mm	1000 mm	2400 mm	230 C




TRANSFER PRINTING FELT



TRANSFER BASKI KEÇESİ

TRANSFER PRINTING FELT



MACHINE




MACHINE



Türkiye

H a z a R

KEÇE MAKİNA
SAN.VE TİC. LTD. ŞTİ





2005 yılından bu yana tecrübe ve deneyimin birleştiği,sürekli olarak yenilenen,modern teknolojiye uygun ve her daim kalitesini çitanın en üstünde tutmayı hedefleyen bir firmayız.Her geçen gün üretim hızını ve çeşidini daha da arttırıp yurtiçi ve yurtdışı pazarlarda başarısını kanıtlamış olan firmamız bu başarıyı gelişen teknolojiyle maksimum düzeyde korumayı başarıyor. Her şeyden önce işini severek yapan,hiçbir fedakarlıktan kaçınmayan,bahane değil çözüm arayan müşteri taleplerini ve memnuniyetini her daim ön planda tutan firmamızın uzman kadrosu,deneyimli çalışanları ve zaman mekan farketmeksizin yurtiçi ve yurtdışı servis hizmetiyle her daim yanınızdayız.

We are a company that combines knowledge and experience since 2005, constantly renewing itself, complying with modern technology and always aiming to keep its quality at the top of the bar. Our company, which has proven its success in domestic and international markets by increasing its production speed and variety day by day, achieves this success with developing technology. It provides maximum protection. First of all, we are always at your service with our company's expert staff, experienced employees and domestic and international service, regardless of time and place, who do their job fondly, do not shy away from any sacrifice, look for solutions rather than excuses, and always prioritize customer demands and satisfaction.



Abdi İpekçi Cad. Hançer Sk. Emintaş Yüksel Sanayi Sitesi No: 3/22-23-24
Bayrampaşa - İstanbul / Tel: +90 212 544 68 80
www.hazarmakina.com / info@hazarmakina.com